


Schéma du cheminement d'un mail Postfix / Amavis / ClamAV / Spamassassin (et ses modules)



Restrictions possibles et leur moment lors d'une communication SMTP

```

telnet 192.168.0.2 25
Trying 192.168.0.2...
Connected to 192.168.0.2 (192.168.0.2).
Escape character is '^]'.
220 mail.destination.com ESMTP Postfix
HELO mail.origin.com
250 mail.destination.com
MAIL FROM:<ned@origin.com>
250 2.1.0 Ok
RCPT TO:<fred@destination.com>
250 2.1.5 Ok
DATA
354 End data with <CR><LF>.<CR><LF>
To:<fred@destination.com>
From:<ned@origin.com>
Subject:SMTP Test
This is a test message
.
250 2.0.0 Ok: queued as 301AE20034
^]
221 2.0.0 Bye
Connection closed by foreign host.
  
```

```

#
#
# < Realtime Black Lists (RBL)
#
# <-smtp_client_restrictions
# <-smtp_helo_restrictions
#
# <-smtp_sender_restrictions
#
# <-smtp_recipient_restrictions
#
# <-smtp_data_restrictions
#
# <-header_checks
#
# <-body_checks
#
#
#
#
#
#
#
#
#
#
  
```